

# AGRIZINE 500 SC

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** AGRIZINE 500 SC  
**Other identifier:** Atrazine 500 g/l  
**Recommended use:** Herbicide  
**Restrictions on use:** Agriculture

**Supplier:** Universal Crop Protection (Pty) Ltd.  
**Co. Reg. No.:** 1983/008184/07  
 PO Box 801,  
 Kempton Park, 1620, South Africa

**Telephone:** (011) 396 2233  
**Fax:** (011) 396 4666  
**Website:** [www.villacrop.co.za](http://www.villacrop.co.za)

**Emergency telephone numbers:**  
**24 Hr Transport / Spill emergency no:**  
 (Hazcall24) +27 86 044 4411  
 (Client: Villa Crop Protection)  
 Griffon Poison Information Centre +27 82 446 8946  
 (Client: Villa Crop Protection)  
**Poisoning Emergency telephone numbers:**  
 Griffon Poison Information Centre +27 82 446 8946  
 Poisons Information Centre +27 861 555 777

## 2. HAZARDS IDENTIFICATION

UN GHS, Regulation EC 1272/2008 [EU-GHS/CLP] EU & SANS 10234:2008		
Hazard classes	Hazard categories	H-statements
<b>Health</b>		
Oral	Acute Toxicity 5	H303
Dermal	Acute Toxicity 5 Skin Irritation 3 Skin Sensitisation 1	H313 H316 H317
Eye	Eye Irritation 2	H319
Specific Target Organ Toxicity Repeated Exposure	STOT RE 2	H373
<b>Environment</b>		
Aquatic acute	Aquatic acute 1	H400
Aquatic chronic	Aquatic chronic 1	H410

**The most important adverse effects:**  
**Physiochemical effects:** None known.  
**Human health effects:**  
 May be harmful if swallowed.  
 May be harmful in contact with skin.  
 May cause an allergic skin reaction.  
 May cause damage to organs through prolonged or repeated exposure

Causes serious eye irritation.  
 Causes mild skin irritation.

### Label elements:



**Signal word:** Warning

### Hazard statements:

H303: May be harmful if swallowed.  
 H313: May be harmful in contact with skin.  
 H316: Causes mild skin irritation.  
 H317: May cause an allergic skin reaction.  
 H319: Causes serious eye irritation.  
 H373: May cause damage to organs.  
 H400: Very toxic to aquatic life.  
 H410: Very toxic to aquatic life with long lasting effects.

### Precautionary statements:

P260: Do not breathe dust, fume, gas, mist, vapours and spray.  
 P264+P265: Wash hands thoroughly after handling. Do not touch eyes.  
 P272: Contaminated work clothing should not be allowed out of the workplace.  
 P273: Avoid release into the environment.  
 P280: Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.  
 P301+P317: IF SWALLOWED: Get medical help.  
 P302+P317+P352: IF ON SKIN: Wash with plenty of water and non-abrasive soap. Get medical help.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P319: Get medical help if you feel unwell.  
 P332+P317: If skin irritation occurs: get medical help.  
 P333+P317: If skin irritation or rash occurs: Get medical help.  
 P337+P317: If eye irritation persists: Get medical help.  
 P391: Collect spillage.  
 P501: Dispose of contents/container in accordance with local regulations.

### Other hazards:

None known.

### Toxicity:

Classification according to GHS: Category 5

## AGRIZINE 500 SC

## SAFETY DATA SHEET

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

Composition:

Chemical name	CAS	Conc. (m/v %)	Classification EC 1272/2008
Atrazine	1912-24-9	50 %	Skin Sensitisation 1 (H317) Specific Target Organ Toxicity Repeated Exposure 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Ethylene Glycol	107-21-1	< 10 %	Acute Toxicity 4 (H302)
Atlox 4853B	/	< 5 %	Skin Irritation 2 (H315) Eye Damage 1 (H318) Aquatic Chronic 3 (H412)
Rhodorsil 526 R	/	< 1 %	Flammable Liquid 2 (H225) Eye Irritation 2B (H320) Specific Target Organ Toxicity Single Exposure 3 (H336)

### 4. FIRST AID MEASURES

Remove the victim from the area of exposure. Wash off remaining material with plenty of water. In the event of any complaints or symptoms, avoid further exposure.

**Inhalation:** Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if patient continues to feel unwell.

**Skin:** Remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Obtain medical attention if irritation persists or patient feels unwell.

**Eyes:** Flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. **Seek medical attention immediately.**

**Ingestion:** Seek medical attention or call a poison control centre for treatment advice. Do not induce

vomiting unless instructed to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If the person is alert, rinse mouth thoroughly with water.

**Anticipated acute effects:**

May be harmful if swallowed.  
 May be harmful in contact with skin.  
 May cause an allergic skin reaction.  
 May cause damage to organs through prolonged or repeated exposure  
 Causes serious eye irritation.  
 Causes mild skin irritation.

**Anticipated delayed effects:**

May cause damage to organs.

**Most important symptoms / effects:** None known.

**Advice to physician:** No signs and symptoms of Triazine poisoning are known or expected in humans. An antidote is neither known nor needed. Treat symptomatically when required. When large amounts have been ingested, gastric lavage or the administration of activated charcoal with water may be indicated.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** Use carbon dioxide or dry chemical for small fires and water fog or foam for large fires.

**Unsuitable Extinguishing Media:** High volume water jet. Use a water jet only to cool heated containers.

**Specific hazards:** Hazards or hazard products may arise from combustion.

**Special fire-fighting procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Remain upwind of fire. Avoid inhaling hazardous vapours and fumes from burning materials. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH / MSHA approved self-contained breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid contact with eyes. Do not breathe in spray mist or dust / fumes. Ventilate area of spill or leak, especially in contained areas.

## AGRIZINE 500 SC

## SAFETY DATA SHEET

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. This product is classified as very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. Any spillages or uncontrolled discharges into watercourses should be reported immediately to the police and the Department of Water / Environmental Affairs.

**Methods and Materials for Containment:** Contain spilled product by diking area with sand or earth.

**Methods and Materials for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum, scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spilled material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

### 7. HANDLING AND STORAGE

**Handling:**

**Precautions for safe handling:** May be harmful if swallowed. Avoid contact with skin and eyes. Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use. In the case of contact with the product refer to First Aid Measures – Section 4.

**General occupational hygiene:** Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used.

**Storage:**

**Conditions for safe storage:** Keep under lock and key and out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed in an isolated, dry, cool and well-ventilated area. Avoid excess heat. Not to be stored next to foodstuffs, feed and water supplies. Avoid cross contamination with other pesticides and fertilisers.

**Incompatible substances and mixtures:** Refer to product label.

**Packaging material:** Plastic fluorinated containers & Drums.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Permissible concentration:** No occupational exposure limits have been determined for the significant ingredients in this product.

**Engineering Controls:**

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire and other applicable regulations.

**Personal Protective Equipment:**

**Respiratory Protection:** Use a NIOSH approved, air-purifying respirator with cartridges / canisters approved for organic vapours.

**Hand Protection:** The use of chemically protective impervious gloves is recommended to prevent against skin contact.

**Eye Protection:** Chemical safety goggles should be worn at all times to prevent against eye contact. Contact lenses are not protective eye devices.

**Skin and Body Protection:** Employees must wear appropriate protective impervious clothing, rubber boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.

**Emergency eyewash:** Where there is any possibility that an employee's eyes may be exposed to this substance, the employer should provide an eye wash fountain or appropriate alternative within the immediate work area for emergency use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Homogenous, slightly off-white, moderate viscous water-soluble liquid.

**Odour:** Slight odour.

**Odour threshold:** Not available.

**pH:** 6 to 8.

**Melting point:** Not available.

**Freezing Point:** Not available.

**Boiling Point:** Not available.

## AGRIZINE 500 SC

## SAFETY DATA SHEET

**Flash Point:** > 60.5 °C.  
**Flammability:** Not flammable.  
**Upper / lower explosion limits:** None explosive.  
**Vapour Pressure (mm Hg):** Not available.  
**Relative Vapour Density:** Not available.  
**Relative density:** 1.105 g/ml @ 20 °C.  
**Solubility:** Soluble – 33 ppm.  
**n-octanol / water partition coefficient:** Not available.  
**Auto-ignition temperature:** Not available.  
**Decomposition temperature:** Not available.  
**Viscosity:** Not available.

### 10. STABILITY AND REACTIVITY

**Chemical stability:** The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.

**Reactivity:** None known.

**Possibility of hazardous reactions:** Unlikely to occur.

**Conditions to avoid:** Extreme heat or exposure to flames.

**Incompatible materials:** Strong oxidizers, strong bases, strong reducing agents. Refer to label for further information.

**Hazardous decomposition products:** Alcohols, carbon monoxide and carbon dioxide may form under burning conditions or with incomplete combustion.

### 11. TOXICOLOGICAL INFORMATION

#### ACUTE TOXICITY (GHS & WHO):

**Oral LD<sub>50</sub> (24h)** > 3700 mg/kg

**Dermal LD<sub>50</sub>** > 4300 mg/kg

**Inhalation LC<sub>50</sub> (4h)** > 12.5 mg/l

**Skin Irritation / Corrosion:** Causes mild skin irritation.

**Eye Damage / Irritation:** Causes serious eye irritation.

**Skin Sensitization:** May cause an allergic skin reaction.

**Respiratory Sensitization:** Not classified.

**Reproductive cell mutagenicity:** Not classified.

**Carcinogenicity:** Not classified.

**Reproductive toxicity:** Not classified.

**Specific target organ toxicity – single exposure:** Not classified.

**Specific target organ toxicity – repeated exposure:** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard:** Not classified.

**Chronic Effects:** Not classified.

#### POTENTIAL ADVERSE EFFECTS:

**Inhalation:** Not classified.

**Ingestion:** May be harmful if swallowed.

### 12. ECOLOGICAL INFORMATION

This product is considered a marine pollutant.

#### ECOTOXICITY DATA:

##### Atrazine technical

##### Fish:

LC <sub>50</sub> (96 h)	Rainbow trout	11 mg/l
	Guppies	4.3 mg/l

##### Daphnia:

EC <sub>50</sub> (48 h)		29 mg/l
-------------------------	--	---------

##### Algae:

EC <sub>50</sub> (72 h)	<i>Scenedesmus subspicatus</i>	0.043 mg/l
EC <sub>50</sub> (96 h)	<i>Pseudokirchneriella subcapitata</i>	0.01 mg/l

##### Birds:

Acute oral LD <sub>50</sub>	Bobwhite quail	940 mg/kg
	Mallard ducks	
	Japanese quail	> 2000 mg/kg
Dietary (8d)	LC <sub>50</sub> Japanese quail	> 5000 mg/kg diet
	Mallard ducks	> 1560 mg/kg diet

##### Bees:

LD <sub>50</sub> contact		> 100 ug/bee
LD <sub>50</sub> oral		> 97 ug/bee

##### Worms:

LC <sub>50</sub> (14 d)	<i>Eisenia fetida</i>	> 78 mg/kg soil
-------------------------	-----------------------	-----------------

### ENVIRONMENTAL EFFECTS

#### Based on information for the active ingredient

**Plants:** In tolerant plants, atrazine is readily metabolised to hydroxyatrazine and amino acid conjugates, with further decomposition of hydroxyatrazine by degradation of the side-chains and hydrolysis of the resulting amino acids on the ring, together with evolution of CO<sub>2</sub>. In sensitive plants, unaltered atrazine accumulates, leading to chlorosis and death.

**Persistence and degradability:** Field DT<sub>50</sub> 16-1174 d (median 38.5 d), the longer values being from cold or dry conditions. In water/sediment system DT<sub>50</sub> 14-20 d in the water and DT<sub>50</sub> 35-80 in the whole system. DT<sub>50</sub> under groundwater conditions 105 > 200 d, depending on the test system.

**Bio-accumulative potential:** Not determined.

**Mobility in soil:** Not determined.

**Other adverse effects:** Not determined.

## AGRIZINE 500 SC

## SAFETY DATA SHEET

### 13. DISPOSAL CONSIDERATIONS

**Waste:** Open dumping or burning of this pesticide is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

**Container: TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS:** Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler ([www.croplife.co.za](http://www.croplife.co.za)). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

### 14. TRANSPORT INFORMATION

**UN Number:** 3082  
**Road Transport ADR / ORD:**  
 Class: 9  
 Packaging group: III  
 UN Proper Shipping Name: Environmentally hazardous substance, liquid, N.O.S. (Atrazine 500 g/l)  
**Maritime Transport IMDG / IMO:**  
 Class: 9  
 Packaging group: III  
 UN Proper Shipping Name: Environmentally hazardous substance, liquid, N.O.S. (Atrazine 500 g/l)  
**Marine pollutant (Y/N): Yes**  
**Air Transport IATA / ICAO:**  
 Class: 9  
 Packaging group: III  
 UN Proper Shipping Name: Environmentally hazardous substance, liquid, N.O.S. (Atrazine 500 g/l)  
**Special / Environmental Precautions:** Wedge drums tightly to avoid movement.  
**Transport in bulk:** Refer to MARPOL 73/78, Annex II and the IBC code.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations / legislation for the mixture:**

OHSA 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008 (EU-GHS/CLP)

**Other national regulations:** None.

**Chemical Safety Assessment carried out?** No

### 16. OTHER INFORMATION

**Packaging:** Packed in 50, 100, 150, 200, 250, 500 ml, 1, 5, 10, 20 25 and 200 litres fluorinated plastic containers labelled according to South African regulations and guidelines.

**Other hazard statements, abbreviations and explanations:**

**IATA:** International Air Transport Association.

**IBC:** International Bulk Chemical.

**ICAO:** International Civil Aviation Organization.

**IMDG:** International Maritime Dangerous Goods

**IMO:** International Maritime Organization.

**LD<sub>50</sub> value:** The median lethal dose or the amount of a toxic agent that is sufficient to kill 50 percent of a population within a certain period of time.

**OEL/RL:** Occupational exposure limit-recommended limit.

**TWA:** Time-weighted average – The average exposure over a specified period, usually a nominal eight hours.

**ST/STEL:** Short-term exposure limits.

**Disclaimer:** The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.

### END OF DOCUMENT

**Compiled:** March 2019

**Reviewed:** May 2022

**Revision no.:** (1)

**Next revision:** May 2027

For detailed information on revisions, contact the Registration holder.